



# TRF-1030

Adiabatic cooling

## Engineering data

**REMARK:** Do not use for construction. Refer to factory certified dimensions & weights. This page includes data current at time of publication, which should be reconfirmed at the time of purchase. In the interest of product improvement, specifications, weights and dimensions are subject to change without notice.

**Last update:** 18/01/2022

**TRF-1030**



1. Water supply; 2. Fluid outlet connection; 3. Fluid inlet connection; 4. Overflow; 5. Drain.

| Model                | Nr. of Fans | Weights (kg)      |                  |                       | Dimensions (mm) |      |      | Air Flow (m³/s) |      | Tube Internal Volume (dm³) | Surface (m²) | Connections |
|----------------------|-------------|-------------------|------------------|-----------------------|-----------------|------|------|-----------------|------|----------------------------|--------------|-------------|
|                      |             | Oper. Weight (kg) | Ship. Weight(kg) | Heaviest Section (kg) | L               | W    | H    | Δ               | Y    |                            |              |             |
| TRF 1 030E-C80E D60E | 14          | 9715              | 7840             | 7840                  | 10012           | 2985 | 2972 | 96.3            | 96.3 | 1158.0                     | 5876.0       | 4           |
| TRF 1 030E-C80E D60E | 14          | 9715              | 7840             | 7840                  | 10012           | 2985 | 2972 | 96.3            | 96.3 | 1158.0                     | 5876.0       | 4           |
| TRF 1 030E-C80E M60E | 14          | 9715              | 7840             | 7840                  | 10012           | 2985 | 2972 | 96.3            | 96.3 | 1158.0                     | 5876.0       | 4           |